



NO.2121491559



货物运输条件鉴定书

Certification

for Safe Transport of Chemical Goods

锂电池类货物

样品名称： 二次锂电池组 RRC2040 10.8Vdc, 3350mAh, 36.2Wh

Sample name: Rechargeable Smart Battery Pack Li-Ion RRC2040 10.8Vdc, 3350mAh, 36.2Wh

委托单位： RRC power solutions GmbH
RRC power solutions GmbH

生产单位： STL Technology Co., Ltd.
STL Technology Co., Ltd.



Witness Better Life

SICIT 上海化工院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd



货物运输条件鉴定书

NO. 2121491559

Page 1/3


Certification for Safe Transport of Chemical Goods

样品名称 Sample name	中文 Chinese	二次锂电池组 RRC2040 10.8Vdc, 3350mAh, 36.2Wh		
	英文 English	Rechargeable Smart Battery Pack Li-Ion RRC2040 10.8Vdc, 3350mAh, 36.2Wh		
委托单位 Consignor		RRC power solutions GmbH RRC power solutions GmbH		
生产单位 Manufacturer		STL Technology Co., Ltd. STL Technology Co., Ltd.		
检验方法、程序 Inspection method and procedure		国际海事组织《国际海运危险货物规则》(2018版) IMO International Maritime Dangerous Goods Code (2018 Edition)		
样品外观 Sample appearance		黑色塑胶及塑料薄膜外壳 Black Plastics cement and plastics film shell		
包装件信息 Package information		重量≤30kg. Weight≤30kg.		
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement
1	可充电锂离子电池组 Rechargeable Li-ion battery	RRC2040	3350mAh, 36.2Wh	电池单独运输 Battery only
鉴定结论 IDENTIFICATION CONCLUSION	<p>1. 危险性识别 (Hazards identification) 锂离子电池。 Lithium ion battery.</p> <p>2. 海运按照国际海事组织《国际海运危险货物规则》办理的类型 (Suggestion according to IMO IMDG Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188.</p> <p>3. 包装要求 (Packaging requirements) 无。 None.</p>			
	检验日期: Inspection Date: 2020-12-22		签发日期: Issue Date: 2020-12-22	
备注 Comment	/			

批准 Approver: 王宗

审核 Checker: 董学胜

主检 Appraiser: 强杨章




货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2121491559


Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本报告所述锂电池按照《国际海运危险货物规则》(2018版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG CODE 2018 EDITION 2.9.4.5 .</p>
2	<p>本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812000300354652 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.</p> 
3	<p>锂电池完全封装在内包装内，位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.</p>
4	<p>电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.</p>
5	<p>每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件，符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规定的，黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签，应视为符合本特殊规定188的规定。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of this special provision 188.</p>
6	/
7	/
-验证码:518963-	



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods



Manufacturer: 制造商
RRC power solutions GmbH
Technologiepark 1
66424 Homburg/Saar
Germany
行商明造

CE PS E RoHS REACH (REACH SVHC) PC 100% Recycled

UL MF-49040 IEC 62133-2:2010 IEC 62133-2:2017

Caution: risk of fire and burns. Do not expose to water, fire or excessive heat. Do not crush, disassemble, puncture or short circuit the connector terminals. Please charge the battery before initial use. Charge only with a SMBus compliant level 2 or 3 charger. Manual under www.rrc-ps.com/r-manual2040.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) This device must accept any interference received, including interference that may cause undesired operation.
This device complies with UL2054, IEC62133.

注意：发生火灾和烧伤的危险。禁止拆卸、撞击、挤压或投入火中。若出现严重故障，请勿继续使用。请勿置于高温环境中。电池浸水后禁止使用。

注意：发生火灾和烧伤的危险。禁止拆卸、撞击、挤压或投入火中。若出现严重故障，请勿继续使用。请勿置于高温环境中。电池浸水后禁止使用。

3INR19/66 Li-ion 廢電池請回收

Engineered in Germany. Assembled in Taiwan.

RRC SRICI

Rechargeable Smart Battery Pack Li-Ion
锂离子電池組 / 二次鋰電池組

Model 型号 / 型號	RRC2040
Nominal Voltage 标称电压 / 標稱電壓	10.80Vdc
Nominal Capacity	3350mAh 36.2Wh
Max. Charge Voltage 充电限制电压	12.60Vdc
Max. Charge Current 充电限制电流	2.345A

⚠ Caution Read battery and device instructions before use!

报告结束

